# CivicAI How to read the *Blueprints*

CivicAI is a project exploring how AI can enhance collective intelligence to help communities respond to the climate crisis through three near-future use cases.

Read more at civic-ai.org

Start at A for a visual summary

See B for schematic representations of the processes involved

See C for challenges that ACI can help address

See **D** for opportunities for people and machines to collaborate


Follow **E** for technical requirements and readiness across the full proposal

Follow F for details within each stage of proposal

### Section overview

- A provides a visual summary of the key stages and example interactions within each scenario.
- B gives a schematic overview of the processes conducted by people and machines in each of the scenarios.
- details the key challenges experienced by organisations working in these areas and a proposal for how they may be overcome.
- provides details of how people (HI) and machines (AI) collaborate and the specific tasks carried out during each stage of the proposal.

summarises the civic assets which make up the proposal. These are separated in *Tangible* (physical) and *Intangible* (non-physical). Each component has an indicative *Technology Readiness Level* reflecting level of development of related technologies/projects. Components to focus on to achieve a *Minimum Viable Product* for the use case have also been highlighted.



### Connected urban forest



**Dark Matter Labs** Lucidminds September 2020 civic-ai.org

BLUEPRINT #1/3 CivicAI is a project exploring how AI can enhance collective intelligence to help communities respond to the climate crisis through three near-future use

Connected urban forest combines automated and participatory processes for mapping, monitoring, caring for, and measuring the holistic benefits of urban trees.

The *Blueprint* outlines how people and machines could collaborate in this area. It provides an overview of opportunities for implementing community-led AI systems, as well as a framework for connecting organisations who share common challenges or are developing potential solutions.

cases. Read more at civic-ai.org

# **MAPPING**

People and machines work together to identify the location and

species of urban trees, uploading data to an open Tree Registry.

**MONITORING** 2

MAINTAINING & CARING A maintenance and caring platform prompts people to help care for urban trees. Autonomous agents

monitor tree data from sensors and notify local authorities and citizens when trees need care.


**IMPACT MEASUREMENT** 

and social impacts of existing urban forest and future plans.

Analytical models and simulations measure the environmental

**SCENARIO** 

**STAGES** 



Data is collected to monitor tree characteristics and health, as well as environmental and social impacts, using satellite imagery, IoT sensors and participatory data collection processes.

DISEASE **DETECTED** Details Submit data





COMPONENTS


**INTERACTIONS** 


People doing

Machines doing









**DETAILS** 

KEY CHALLENGE(S) for organisations working in this field, which ACI can help to address

**DESCRIPTION** People and machines identify tree locations from satellite of ACI proposal imagery and on the ground verification. This data is uploaded to a Tree Registry. By contributing data, people can receive personalised feedback on the state of the urban forest

in their area.

Cost and resource required for

manual data collection.

Verification of data from

satellite images.

An automated process for identifying tree species using satellite images and other airborne sensors, which is verified by citizens through a mobile app. The data is uploaded to a public Tree Registry.

B) Species identification

Difficult to obtain data from

Coordinating data collection.

Uncertainty in accuracy of

remote species detection.

private gardens.

Regular data collection to characteristics and contribute to an open Tree Registry using open data standards. Data collection could be gamified to create competitions between different neighbourhoods.

People provide data on tree

height, trunk diameter and

of the urban tree network.

**TANGIBLE** 

( ) Trees

SENSORS

Tree stability

species through a mobile app.

Resource intensive and

Requires regular updating.

repetitive tasks.

Regular data collection to track urban tree health from a combination of citizen recorded data and on the ground sensors. Data uploaded to Tree Registry.

Resource intensive and

Requires regular updating.

repetitive tasks.

Monitoring a range of impacts e.g. local cooling; flood alleviation; air quality improvement; biodiversity increase; carbon sequestration; health/wellbeing from both sensors and citizen collected data (e.g. wellbeing or fitness apps).

People help train ML

algorithms, upload readings

from private sensors and share

qualitative data e.g. wellbeing.

Limited accuracy of remote

Granularity of on the ground

Isolating entangled impacts.

sensors.

platform analyses water and nutrient level data from the tree registry and alerts citizens when trees need additional care. Engagement programs e.g. competitions between different districts - could incentivise participation.

People subscribe to care for a

additional nutrients. They log

nutrients they add through an

tree and are notified which

trees need watering or

the amount of water or

**TANGIBLE** 

Trees

Fruit and timber

Different ages or species of

water and nutrients.

Access to nearby water

A citizen supported caring

tree need different amounts of

analysed to help local authorities identify more precisely where maintenance is required to ensure public

People identify trees that are

damaged or at risk of falling.

Data on a tree's condition is

Minimising resource and cost

to local authorities to maintain

increasing number of trees

across a borough.

and estimates when trees are likely to bear fruit or require pruning and alerts citizens.

Local authorities are resource

Safely involving citizens in

pruning and maintenance.

The caring platform monitors

limited and so seek to minimise

used to support investment e.g. heat island effect reduction; storm water alleviation; air quality improvement; biodiversity increase; carbon sequestration; improved health and wellbeing.

Difficult to isolate impacts and

required for different funding

Outcomes and impact data is

Community members work

with funding institutions to

Data analysis using ML and

regression, correlation and

indirect outcomes.

clustering analysis of direct and

link to contributor.

Different metrics or

mechanisms.

measurements may be

Simulations help evaluate outcomes of alternative tree planting strategies using agent-based models.

Community members are

involved in making project and

Accuracy of simulated

outcomes.

**ACI PROCESSES** 

Overview of activities performed by machines (AI) and people (HI)

People verify data on the ground via a mobile app, helping to train a ML algorithm to improve it's reliability and regularly update the registry with newly planted trees. This process could be gamified. ML algorithm used to automatically distinguish between buildings; paved areas; grass or vegetation; tree

canopy; water etc. to locate

identification. ML algorithm used to identify tree species from spectral variability of satellite images, cross-referenced with 3D imagery from LiDAR sensing (a remote method of measuring ranges using laser light).

ML and domain experts design

and train species identification

algorithm. People provide data

to verify and improve species ML algorithm used to regularly track canopy cover, grass cover and shrub development from satellite imagery. Distributed sensors monitor tree stability. Edge AI could enable local computation with data fed intermittently to a digital twin

Distributed sensors monitor rainfall, ground water levels, soil salinity and nutrient levels to infer tree health. Deep learning from street view images to track tree health. Machine vision used to identify diseases from photos uploaded by citizens.

People verify and contribute

data e.g. uploading photos of

diseases.

Remote sensing & ML algorithms measure surface temperature, soil moisture, air quality and plant and animal species. Ground sensors track air quality, air temperature and water run off rates. This feeds a digital twin of urban forest to model its impacts.

ML tree stress algorithm

MV disease detection

open tree care platform. AI agents prompt people if a nearby tree requires water or nutrients, directing people to nearby public taps.

Remote sensing using satellite images and LiDAR data to determine which trees may be at risk of falling. This is combined with data from distributed stability sensors on large trees. AI agents notify

tree officers and nearby citizens if trees are at risk of falling.

People tag trees that require pruning or that have fruit.

AI agents analyse data from citizens on available fruit or maintenance needs and notify people nearby or those who have subscribed. ML used to estimate when fruit is ripe from citizen data, tree characteristics and environmental conditions.

develop proposals and allocate funding decisions based on future funding based on an simulated outcomes. analysis of measured impacts. ML algorithms are used to help identify links from measurements to impacts.

ABMs are used to simulate alternative strategies comparing baseline scenarios to counter-factual scenarios, measuring multi-dimensional and multi-scale outputs over different time horizons.

CIVIC ASSETS

Open ecosystem of components Technology Readiness

Levels of components Deployment (TRL 7-9) Development (TRL 4-6)

Research (TRL 1-3) Focus for MVP

**TANGIBLE** ( ) Trees **INTANGIBLE** 

Satellite image data - canopy LiDAR data - verification Citizen verification/photos FRAMEWORKS

ML canopy algorithm ML species ID algorithm SOFTWARE ( ) Citizen verification app

Soil moisture Temp., humidity, rainfall Open Tree Registry Air quality Water run off Open data standards

**INTANGIBLE** DATA

Satellite image data - canopy ML surface temp. algorithm Satellite radar - tree stress Citizen data - tree size/health Citizen monitoring app Weather data

SOFTWARE Open Tree Registry FRAMEWORKS ( ) Valuation metrics/index

Public taps Nutrients/compost bank Maintenance tools

**INTANGIBLE** DATA

Citizen data - care given

Open Tree Registry

AI tree care agent SOFTWARE Tree caring app/dashboard FRAMEWORKS

Participatory care guides

TANGIBLE Trees

INTANGIBLE

Satellite image data - canopy

ABM - planting/felling SOFTWARE Measured impact dashboard

ABM dashboard LiDAR data - verification Citizen verification/photos

FRAMEWORKS Decision framework

Open data standards



Augmented collective intelligence Artificial intelligence Human intelligence

MV Machine vision Machine learning Agent-based modelling

Technology Readiness Level Minimum Viable Product LiDAR Light Detection and Ranging

ML canopy algorithm



#### Collective climate action

BLUEPRINT #2/3

CivicAI is a project exploring how AI can enhance collective intelligence to help communities respond to the climate crisis through three near-future use cases. Read more at civic-ai.org

Collective climate action imagines a new form of collective deliberation to support ecocentric decision-making. Utilising both feedforward and feedback mechanisms to facilitate climate-positive commitments and sustained behaviour.

The *Blueprint* explores how people and machines could collaborate to respond to the climate crisis. The intention is for it to provide an overview of opportunities for using AI, as well as a framework for connecting organisations who share common challenges or are developing potential solutions.





**STAGES** 

**SCENARIO** 

**INTERACTIONS** 

### SENSE-MAKING & IDENTIFYING

Building more-than-human shared understanding and a wide range of potential interventions.

(2)SIMULATING POTENTIAL IMPACT

Calculating potential impact of choices to encourage behavioural change.

3 FEEDFORWARD & FEEDBACK


Providing feedback to sustain behavioural change.


**Future generations** Have you accounted for the future impact this will have on our lives? **Bees** 2 mins ago The UK has lost 13 species of bee, and a further 35 are considered under threat of extinction. Water firms dumped raw sewage into England's rivers 200,000 times in 2019. **Community garden** 20 mins ago Opposing the development of local community garden sites. **Local resident** Increasing biodiversity is the key


for flourishing at all levels.

Community Climate Action Bot You can make an impact in your community! Your commitment, alongside 100 others in your community, could help contribute 10% more impact. Share with friends ♂ Rewild your street 0 carbon energy tariff **Impact Estimation** Eat more local ved Average Global target Community detailed breakdown Commit to intervention

**E** Community Climate Action Bot Welcome! You just moved into our area! Your current carbon footprint is 16.3 tonnes, 155% higher than the 2020 target of 10.5 tonnes. A new community allotment has opened nearby. Why not try growing your own vegetables, composting and taking up a plant-based diet? This would help you cut your footprint. How's your plant-based diet going? Try this new recipe I just found!







**DETAILS** 

address

for organisations

working in this field,

which ACI can help to

COMPONENTS

People doing

Machines doing

KEY CHALLENGE(S) Perspectives - getting stuck in biased and narrow human-centric worldviews, lacking a more ecocentric shared understanding. Overly simplified conceptual frameworks could lead to inaccurate decisions.

B) Shared understanding

Value alignment - incompatible or non-diverse values may impede the attempts of communities to prioritise mitigation and adaption efforts.

A lack of agility in iterating interventions.

A) Data collection

**DESCRIPTION** of ACI proposal

Collecting a wide range of data to support relational thinking (understanding systems through relationships) and create the conditions for building holistic shared understanding among humans, non-humans, inanimate things and future generations.

Citizens and machines work together to integrate knowledge and democratise deliberation by analysing impacts from an ecocentric perspective.

Citizens can propose and contribute to a repository of interventions. Interventions are shown through the lens of customisation, locality, and impact. With the consideration of each agent's boundaries and behaviour, people in the community can come up with appropriate interventions.

Citizens are given an initial forecast of the comparative impact of different actions. Seeing aggregate data of other nearby commitments helps motivate and reassure them to make informed actions and sustain behavioural change.

Measuring impact - uncertainty

alternative actions, leading to a

lack of informed commitment

in comparative impacts of

and a reluctance to justify

upfront investment.

Citizens make different levels of commitments based on social influence and what they can do. Individual impact can be aggregated e.g. 60% of your community is committed to plant-based diet which is contributed to 15% reduction of CO2 emissions.

A lack of personalised

behavioural change.

feedback in order to nudge

Citizens receive feedback on

how accurate the forecasting

Citizens provide feedback for

Machine learning - this is

applied to improve impact

estimation based on real-world

machine learning.

monitoring.

Uncertainty of comparative

impacts.

Climate positive interventions are suggested based on nearby civic asset and individuals' lifestyle. This acts as a feedforward mechanism, before making commitments.

process data that reflects a

citizen's lifestyle and civic

assets nearby, then provide

personalised feedback and

climate-positive actions.

could be used to provide

to provide recommended

transparent and traceable.

actions should be fully

means for social influence on

Recommendation system - this

suggestions of commitments.

Self-learning algorithms used

Machines and peers hold each

other accountable to ensure

prolonged behavioural change.

Sustained commitment - a lack of mechanisms to support sustained long- term collective commitment.

A lack of personalised feedback in order to successfully nudge behavioural change.

A dashboard is used to provide transparency of the citizens' collective effort.

**ACI PROCESSES** 

Overview of activities performed by machines (AI) and people (HI)

Citizens collect and verify contextual data & quantitative data (e.g. well-being and biodiversity data) to help enrich the database and train the algorithm using citizen sensing kits and a mobile app. Data collection should avoid bias, encourage diverse participation and oversight.

Semantic web technology machines are capable of analyzing all the data on the Web - the content, links, and transactions between people and machines.

Citizens augment their understanding with emphasis on relational thinking.

Citizens oversee models and

Agent-based Modeling - this is employed to model how an actor learn, adopt, interact, and mimic each actor, simulate their interactions with other actors and the environment hence expand our understanding.

Machine Learning - machines update shared understanding based on real-time data input and learning. For example, using machine learning to recognise bees and understand ΗI Citizens explore various pathways and propose potential interventions.

Machine algorithms synthesising discussions such as finding common view points, highlighting important issues, identifying nuances among similar proposals, summarising discussions.

Agent-based Modeling simulating civic assets' interactions with others.

New forms of real-time governance through Conviction Voting - continuously sampling preferences can provide instantaneous data that allows people to account for the underrepresented.

Citizens make informed actions and sustain behavioural change such as plant-based diet and rewild streets.

Run simulations to identify the gap between the potential impact of local actions and what is required to meet national climate

Run simulations to estimate impacts of alternative pathways and scenarios via a digital twin. Self-learning algorithms used to provide impact modeling should be fully transparent and traceable.

Federated learning - understand community choices and predict

Create synthetic data whilst running simulations. Train machines

using these data. Conviction Voting - transforming a continuous data stream of

individual levels of commitments into discrete acceptance of interventions. When the level of individual commitments are aggregated, rich temporal data stream of collective impact is created.

SOFTWARE Commitment dashboard Simulation dashboard

Impact dashboard (feedforward) FRAMEWORKS

Simulation / game

Citizens provide peer-to-peer Citizens commit to climate learning and social influence in positive actions and provide feedback for machine learning. order to hold each other accountable and prolong behavioural change. Edge AI - this is used to locally

Machines show how close the citizens are to the trajectory in order to hold citizens accountable and prolong their behavioural change.

Citizens prolong their commitment based on real-time collective impact and gaps towards desired targets.

Machines provide real-time collective effort and the gap between current and desired targets.

CIVIC ASSETS

Open ecosystem of components

**Technology Readiness** Levels of components

Deployment (TRL 7-9) Development (TRL 4-6)

Research (TRL 1-3)

Focus for MVP

Tangible Community gardens

Pollinators Bacteria SENSORS

Air quality Biodiversity Intangible

DATA

their behaviour.

Satellite data - CO2 spread Ecology data - biodiversity Citizen data - well-being

( ) Interventions dashboard Contextual data - stories AI agent (e.g. future generations)

ML algorithm Digital twin - pollinators SOFTWARE

ABM dashboard **FRAMEWORKS** System of ontologies ABM - shared understanding Simulation / game

**Tangible** Community gardens

Local farm shop Pollinators

Social impact data

Bacteria Intangible

AI agent (e.g. future generations) ML forecasting algorithm ABM - impact model

Satellite data - CO2 spread

Ecology data - biodiversity

Simulation - gap analysis

Dynamic decisions Smart legal contracts **Tangible** Community gardens

Local farm shop Pollinators Bacteria

Intangible DATA

Purchase history Lifestyle survey

Civic assets location AI agent (e.g. future generations)

ML algorithm - gap analysis SOFTWARE Lifestyle carbon calculator Collective effort dashboard Impact dashboard (feedback)

**FRAMEWORKS** ( ) Machine & human influence Edge AI - lifestyle analysis

Simulation / game

**ACRONYMS** 

Artificial intelligence ΗI Human intelligence

Machine vision Machine learning Agent based modelling





## Participatory energy


BLUEPRINT #3/3

CivicAI is a project exploring how AI can enhance collective intelligence to help communities respond to the climate crisis through three near-future use cases. Read more at civic-ai.org

Participatory energy explores how communities could adopt Augmented Collective Intelligence to help set-up, operate, maintain and model the financial and social outcomes of community energy

The *Blueprint* outlines how people and machines could collaborate in this area. It provides an overview of opportunities for implementing community-led AI systems, as well as a framework for connecting organisations who share common





Financial data

Weather data

Social impact data

ML forecasting algorithm

MV- cloud tracking

Maintenance dashboard

DSR app

FRAMEWORKS

AI DSR & maintenance agent Open data standards

Maintenance guides

SOFTWARE

FRAMEWORKS

Impact dashboard

Simulation dashboard

Open data standards

Decision-making framework

Satellite image data - sites

Citizen data - energy use

Site boundary data

AI agent

Citizen dashboard

Open Site Registry

SOFTWARE

Open data standards

Social impact model

Impact simulation

( ) Investment dashboard

SOFTWARE

Open data standards

Batteries/energy storage

Heat pumps

Smart meters

In-home interfaces

Computing network

Energy production data

ML fault detection algo.

Fault data

Technology Readiness

Levels of components

Deployment (TRL 7-9)

Development (TRL 4-6)

Research (TRL 1-3)

Focus for MVP

**ACRONYMS**